

STAHL+BAND



Tableaux I shown in Flux wash to black stoneware glaze.

TABLEAUX I

Standard Dimensions

Overall: 48 3/5" L x 36 4/5" W x 10 3/5" H

Leg: 1 1/2" DIA

Plinth I: 16 1/2" L x 12 3/5" W x 2 3/5" H

Plinth II: 12 3/5" L x 8 1/2" W x 1 1/4" H

Materials

Stoneware Ceramic, Stainless Steel

Finish Details

Stoneware ceramic surface.
Flux wash to black stoneware glaze.

304 grade stainless steel base and legs.
Black patina with wax finish.

**Unique 1 of 1
* Outdoor appropriate*

List Price *

Upon Request

STAHL+BAND



Tebleaux II shown in Structured flux wash to black stoneware glazes.

TABLEAUX II

Standard Dimensions	Overall: 48 3/5" L x 24 4/5" W x 13 4/5" H
	Leg: 1 1/2" DIA
	Plinth I: 12 3/5" L x 8 1/2" W x 1 1/4" H
Materials	Stoneware Ceramic, Stainless Steel
Finish Details	Stoneware ceramic surface. Structured flux wash to black stoneware glazes.
	304 grade stainless steel base and legs. Black patina with wax finish.
List Price *	Upon Request

**Unique 1 of 1
Outdoor appropriate

STAHL+BAND



Tebleaux III shown in Anchor Process clay body with additives.

TABLEAUX III

Standard Dimensions

Overall: 48" L x 24 1/2" W x 14 1/5" H

Leg: 1 1/2" DIA

Plinth I: 12 1/4" L x 6 1/2" W x 1 1/4" H

Materials

Stoneware Ceramic, Stainless Steel

Finish Details

Stoneware ceramic surface.
Anchor Process clay body with additives.

**Unique 1 of 1
Outdoor appropriate

304 grade stainless steel base and legs.
Black patina with wax finish.

List Price *

Upon Request

STAHL+BAND

Tableaux Care Instructions:

- The legs of each Tableaux are removable for transportation. They screw in securely to the tabletop and have a rubber foot for floor protection.
- Do not lift or rotate the table using the legs.
- Do not transport the table on edge or with the tiled surface facing down.
- Ceramic surfaces will vary in colour range, tonal quality, density, and porosity.
- Tableaux is made from high fired stoneware clay bodies. Some surfaces have a glaze finish; others are left unglazed to celebrate the inherent qualities of the clay body they have been made with.
- Unglazed and less glossy surfaces will be more susceptible to marks and staining but all unglazed Tableaux have been treated with a penetrating sealer.
- During transport and installation, we recommend the installer wear disposable gloves to stop grease and dirt transfer.
- Gently wipe the ceramic surface using warm, soapy water and a clean, lint-free, soft cloth wrung dry. Leave to dry before placing the plinth or other objects on the table.
- Stubborn marks on the ceramic surface can be removed with methylated spirits and a clean lint-free, soft cloth. Do not use methylated spirits on the metal table base or legs.
- Do not scrub, use scourers, steel wool, or abrasive soaps and cleaners.
- Do not use high pressure hose cleaning equipment.
- When dusting, lightly wipe with a clean lint-free, soft cloth or other dusting brush.