



Elio Surface Mount Large Shown in Oak Wood and Umber Glass.

# ELIO SURFACE MOUNT

## Standard Dimensions

Small: 5 5/8 in. Dia x 3 1/4 in. D  
Medium: 8 in. Dia x 3 3/8 in. D  
Large: 12 in. Dia x 5 1/2 in. D  
Weight : Small: 2 lbs / Medium: 3 lbs / Large: 5 lbs

## Materials

Glass, Wood.

## Details

Bulbs Included : Small: Integrated LED: 1,200 lm / 1800K-3000K / 12 W / 98 CRI  
Medium: Integrated LED: 1,200 lm / 1800K-3000K / 12 W / 98 CRI  
Large: Integrated LED: 1,215 lm / 2700K / 11 W / 92+ CRI

Max Wattage: 15 W Dimmer: TRIAC, ELV or 0-10 V

Certifications : UL Listed, ETL Listed, Damp Rated, ADA Compliant

## Available Glass Finish



## Available Wood Finishes



## List Price \*

Upon Request





\* List pricing is subject to change and does not include shipping.

stahlandband.com  
info@stahlandband.com  
424.228.4134



Specification Drawing - Small





Specification Drawing - Medium Hardware





Specification Drawing - Medium Plug In



Specification Drawing - Large Hardwire





---

Specification Drawing - Large Plug In





---

Notes - Small

1. *This fixture can be installed on a wall or ceiling*
2. *This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship.*
3. *Dimensions may vary within half an inch.*
4. *The LED lifetime is 50,000 hours.*
5. *The driver is included with the fixture and can be installed inside of the J-box or remotely.*
6. *This fixture is designed so the LED board can be replaced when it reaches its lifetime.*
7. *This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.*

---

Notes - Medium Hardwire

1. *This fixture can be installed on a wall or ceiling*
2. *Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.*
3. *This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship.*
4. *Dimensions may vary within half an inch.*
5. *The LED lifetime is 50,000 hours.*
6. *The driver is included within the fixture.*
7. *This fixture is designed so the LED board can be replaced when it reaches its lifetime.*
8. *This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.*

---

Notes - Medium Plug In

1. *Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.*
2. *This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug*
3. *This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship.*
4. *Dimensions may vary within half an inch.*
5. *The LED lifetime is 50,000 hours.*
6. *The driver is included within the fixture.*
7. *This fixture is designed so the LED board can be replaced when it reaches its lifetime.*

---

Notes - Large Hardwire

1. *This fixture can be installed on a wall or ceiling*
2. *This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship.*
3. *Dimensions may vary within half an inch.*
4. *The LED lifetime is 50,000 hours.*
5. *The driver is included within the fixture.*
6. *This fixture is designed so the LED board can be replaced when it reaches its lifetime.*

---

Notes - Large Plug In

1. *Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.*
2. *This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug*
3. *This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship.*
4. *Dimensions may vary within half an inch.*
5. *The LED lifetime is 50,000 hours.*
6. *The driver is included within the fixture.*
7. *This fixture is designed so the LED board can be replaced when it reaches its lifetime.*