









Specification Drawing - Hardwire




Notes Hardwire

1. This fixture can be installed on a wall or ceiling.
2. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.
3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
4. Dimensions may vary within half an inch.
5. The LED lifetime is 50,000 hours.
6. The driver is included within the fixture.
7. This fixture is designed so the LED board can be replaced when it reaches its lifetime.



Specification Drawing - Plug In



Notes Plug In

1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.
2. This fixture comes with a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
4. Dimensions may vary within half an inch.
5. The LED lifetime is 50,000 hours.
6. The driver is included within the fixture.
7. This fixture is designed so the LED board can be replaced when it reaches its lifetime.