STAHL+BAND

stahlandband.com | info@stahlandband.com | 424.228.4134



CAVE, Short Wall Light, Solid finish in Cloud.


List Price:

Cave Wall Short Arm: \$5,830

CAVE SHORT WALL LIGHT

LIGHT/SHADE COLLECTION

A direct light source, pivoting left and right for easy adjustment of light focus. Perfect to create a relaxed atmosphere for bedside lighting, or intimate restaurants.



А	В	C (cm)
Ø30	27	50

Height dimensions are variable as the cloth is handcrafted.

Materials

Shade - 100% Egyptian mercerized cotton, dyed using Oeko-Tex Standard 100 certified dyes. Pendant frame - Standard finish brass plated. Wall arm and backplate - Standard finish raw brass.


Pattern Finishes

• Solid • Inside Edge

Details

Wall plate available with or without push switch. Plug-in version includes 1.5 meter cable. Total weight 1.5 kg.


Bulb Fitting and Type
E12/E14 max 4w bulb LED.




Our pendants are made using Naomi's signature mercerized cotton cord developed by the Naomi Paul Studio.

The yarn is first spun and dyed in Italy before being knitted into the tensioned cable yarn in Lancashire. The dyed cotton yarn is Oeko-Tex certified which guarantees the safety of a non-toxic and hypoallergenic product.







FINISH & OPTIONS

BRAIDED CABLE

Each pendant & lighting design is supplied with one meter of 3 core triple insulated braided round cable, made in Northern Ireland.

Custom lengths can be supplied on request.

USA UL certified option available. *UL parts are supplied by our North America partners, Color Cord Company.

Cable standards:

Low Voltage European Directive No. 2014/35/UE

Stranding of conductor:

Flexible tinned copper conductor

Insulation:

180 °C FEP insulation

Cable assembly:

The cores are twisted together

Outer Sheath:

Clear 90 °C PVC sheath

Textile Braid:

Polyester or Viscose Rayon

BRAIDED CORD





*UL BRAIDED CORD



FINISH & OPTIONS

WALL LIGHTS WIRING





Available with or without push switch, please specify on order.

Plug-in version includes 1.5 meter cable.

Short	Switch	D x E (cm)
USA	No switch	11 x 8
	Push switch	13 x 8
EU	No switch	11 x 6
	Push switch	13 x 6
		•
Long	Switch	D x E (cm)
	No switch	15 x 8
	Push switch	17 x 8