# STAHL+BAND

stahlandband.com | info@stahlandband.com | 424.228.4134




 ${\tt SIMPLE}$  SHADE O1, Double Cloth, Long Wall Light, Celeste Colour Block finish in Cacao and Storm

List Price: Simple Shade 01 Wall (Double Cloth) \$7,345

# SSOI DOUBLE CLOTH LONG WALL LIGHT

# SIMPLE SHADE COLLECTION

A direct light source, pivoting left and right for easy adjustment of light focus. Perfect for a social environment. Reaching over a dining table or accompanying an arm chair, to create an inviting space within a space.



	А	В	C (cm)
Double Cloth	Ø50	56	100

Height dimensions are variable as the cloth is handcrafted.

#### Materials

Shade - 100% Egyptian mercerized cotton, dyed using Oeko-Tex Standard 100 certified dyes. Pendant frame - Standard finish brass plated. Wall arm and backplate - Standard finish raw brass.

# Double Cloth

The pendant in this collection is made with an outer and inner cloth, allowing for dual colour finishes.

### Pattern Finishes


· Solid · Celeste Patterns

#### Details

Wall plate available with or without push switch. Plug-in version includes 1.5 meter cable. Total weight 2 kg.

## Bulb Fitting and Type

E26/E27 max 11w bulb LED.




Our pendants are made using Naomi's signature mercerized cotton cord developed by the Naomi Paul Studio.

The yarn is first spun and dyed in Italy before being knitted into the tensioned cable yarn in Lancashire. The dyed cotton yarn is Oeko-Tex certified which guarantees the safety of a non-toxic and hypoallergenic product.







# FINISH & OPTIONS

## **BRAIDED CABLE**

Each pendant & lighting design is supplied with one meter of 3 core triple insulated braided round cable, made in Northern Ireland.

Custom lengths can be supplied on request.

USA UL certified option available. \*UL parts are supplied by our North America partners, Color Cord Company.

#### Cable standards:

Low Voltage European Directive No. 2014/35/UE

## Stranding of conductor:

Flexible tinned copper conductor

#### Insulation:

180 °C FEP insulation

#### Cable assembly:

The cores are twisted together

# Outer Sheath:

Clear 90 °C PVC sheath

# Textile Braid:

Polyester or Viscose Rayon

#### **BRAIDED CORD**





#### \*UL BRAIDED CORD



# FINISH & OPTIONS

# WALL LIGHTS WIRING





Available with or without push switch, please specify on order.

Plug-in version includes 1.5 meter cable.

Short	Switch	D x E (cm)
USA	No switch	11 x 8
	Push switch	13 x 8
EU	No switch	11 x 6
	Push switch	13 x 6
		•
Long	Switch	D x E (cm)
	No switch	15 x 8
	Push switch	17 x 8