stahlandband.com info@stahlandband.com 424.228.4134





Elio Surface Mount Large Shown in Oak Wood and Umber Glass.

ELIO SURFACE MOUNT

List Price *

Standard Dimensions	Small: 5 $\frac{5}{8}$ in. Dia \times 3 $\frac{1}{4}$ in. D
	Medium: 8 in. Dia \times 3 $\%$ in. D
	Large: 12 in. Dia \times 5 $\frac{1}{2}$ in. D
	Weight: Small: 2 lbs / Medium: 3 lbs / Large: 5 lbs
Materials	Glass, Wood.
Details	Bulbs Included: Small: Integrated LED: 1,200 lm / 1800K -3000K / 12 W / 98 CRI Medium: Integrated LED: 1,200 lm / 1800K -3000K / 12 W / 98 CRI Large: Integrated LED: 1,215 lm / 2700K / 11 W / 92+ CRI
	Max Wattage: 15 W Dimmer: TRIAC, ELV or 0–10 V
	Certifications: UL Listed, ETL Listed, Damp Rated, ADA Compliant
Available Glass Finish	
	Almond Cherry Olive Pecan Cirrus Moss Plum Umber
Available Wood Finishes	
	Oak Leopard- Darkened vood Leopardvoood

* List pricing is subject to change and does not include shipping. Starting at: \$1,300





stahlandband.com info@stahlandband.com 424.228.4134


Specification Drawing - Small

Specification Drawing - Medium Hardwire












stahlandband.com info@stahlandband.com 424.228.4134


Specification Drawing - Medium Plug In

Specification Drawing - Large Hardwire











stahlandband.com info@stahlandband.com 424.228.4134

Specification Drawing - Large Plug In





stahlandband.com info@stahlandband.com 424.228.4134

2. This future has handmade elements and may exhibit variability within the same piece. These variations are wherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade cryfts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture and can be installed inside of the J-box or remotely. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 7. This fixture the singular so the LED board can be replaced when it reaches its lifetime. 8. This fixture the standard elements and may exhibit variability within the same piece. These variations are wherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade exquits- manship. 9. Dimensions may vary within half an inch. 10. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 11. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 12. This fixture is the requirements of the Americans with Disabilities Act (ADA) of 1990. 13. This fixture was with a 16-foot chocalate brown fab-ric out. Additional anchor holes are available for added support. 14. Universal canopy manning is located at the center of the fixture. Additional anchor holes are available for added support. 15. This fixture was with a 16-foot chocalate brown fab-ric out. The dimmer switch is our black pointed metal finish and is located & feet from the plug. 15. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade early is manship. 16. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 17. This fixture was be inst	Notes - Small	1. This fixture can be installed on a wall or ceiling	
the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring, handsmade crifts - massivily 3. Dimensions may a year within helf an inch. 4. The LED (lifeture is do) Q000 hours. 5. The driver is included with the fixture and can be installed inside of the 7-box or remotely. 6. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Hardwire 1. This fixture can be installed on a well or ceiling 2. Universal canety mounting is located at the earlier of the fixture. Additional anchor holes are available fir added support. 3. This fixture has handmade dements and may exhibit variability within the same pince. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade codys. massibly 4. Dimensions may vary within half an inch. 5. The LED (lifeture is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the enter of the fixture. Additional modern hales are available for added support. 2. This fixture consess with a 16-foot theologiste branch play it could. The diamner switch is son black painted metal finisk and is located 8 by feet from the plays 3. This fixture as handmade elements and may exhibit variability visitin the same pince. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade codys- massibly. 4. Dimensions may any visitin half an inch. 5. The LED (lifeture is 50,000 hours. 6. The driver is included within the fixture. 7.		2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in	
handmade englis-massing as you within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included with the feature and can be installed united of the J-bax or remodely. 6. This feature is designed to the LED board can be installed united of the J-bax or remodely. 7. This feature must be requirement of the Americans unith Disabilities Act (AIAI) of 1990. Notes - Medium Hardwire 1. This feature can be installed on a well or entitle Act of the Americans unith Disabilities Act (AIAI) of 1990. Notes - Medium Hardwire 1. This feature was the installed on a well or entitle transitional anchor holes are available for added support. 3. This feature has handmade elements and many exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while homoring handmade englis massing. 4. Dimensions may one you within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included unition the feature. 7. This feature meets the requirement of the Americans with Disabilities Act (AIAI) of 1990. Notes - Medium Plug In 1. Universal county mounting is heated at the enter of the feature, Additional anchor holes are available for added support. This feature comes with a 16-fost chooside hourse for he could be a well as a feature of the feature. Additional anchor holes are available for added support. 2. This feature has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production piness and are not to be considered as defects. We do our best to maintain a consistent product while homoring handmade crifts—massing. 4. Dimensions may any within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the feature. 7. This feature can be installed on a such or civiling. 8. Dimensions may any within half an inch. 9. The feature ones within a 16-foot choosides to the enter of the fea			
3. Dimensions may carry estiblish halff an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included with the fixture and can be installed uside of the J-how or remotely. 6. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Hardwire 1. This fixture and be installed on a wall or ceiling. 2. Universal condyn mounting is located at the enter of the fixture. Additional aucher holes are available for added support. 3. This fixture is designed elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as diffects. We do our best to maintain a consistent product while homoring homitands evolves manifest evolves manifest in \$10,000 hours. 6. The driver is actualed varibut the fixture. 7. This facture is designed to the LED board can be replaced when it reaches its lifetime. 8. This facture weeks the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Consequent across manifest is a total for the disabilities of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 2. This facture weeks the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Large Hardwire 3. This factor is designed on or not to be considered as defects. We do our best to maintain a consistent product while homoring homitands conference on the production process and or not to be considered as defects. We do our best to maintain a consistent product while homoring homitands conference in which the fixture is a designed on which the fixture. Notes - Large Hardwire 1. This fixture is designed on which the fixture. 2. This fixture is a designed on the LED board can be replaced when it reaches its lifetime. 3. Discoverious may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture can be installed on a wall or ceiling. 8. This fixture is a designed on		handmade crafts- manship.	
## A. The IED lifetime is 50,000 hours. 5. The driver is included with the fisture and can be installed uside of the 3-how or remotely. 6. This fixture is designed so the IED board can be replaced when it reaches its lifetime. 7. This fixture must the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Hardwire 1. This fixture has be installed on a wall or ceiling. 2. Universal camply mounting is located at the center of the fixture. Additional anchor holes are available for added support. 3. This fixture has handmode learners and may exhibit variability within the same piece. These variations are whereou in the production process and are not to the considered as defects. We do our best to maintain a consistent product while homeing handmode crysts—mussibly. 4. Dimensions may vary exhibit helf an inch. 5. The IED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture mets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Limensul camply mounting is boated at the center of the fixture. Additional excluse holes are available, for added support. 2. This fixture mets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Limensul camply mounting is boated at the center of the fixture. Additional excluse holes are available, for added support. 2. This fixture in his handwoode elements and may exhibit cariability within the same piece. These variations are inherent in the production process and or not to be considered as defects. We do our best to maintain a consistent product while homoring handwoode crysts—mussibly. 4. Dimensions may vary visible helf an inch. 5. The IED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is handwoode elements and may exhibit variability within the same piece. These variations are inherent in the production process and or not to be considered as defects. We do our best to main			
Solution Hardwire included swith the fixture and can be installed when it reaches its lightime. 7. This fixture indexings to the LED band can be replaced when it reaches its lightime. 7. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Hardwire 1. This fixture can be installed on a wall or ceiling 2. Universal canopy mounting is located at the center of the fixture. Additional anchor hales are available for added support. 3. This fixture has hombande elements and may exhibit reradibility within the same piece. These verrations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade english manifold. 4. Dimensions may carry within half an inch. 5. The LED lightime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed to the LED board can be replaced when it reaches its lightime. 8. This fixture mosts the requirements of the Americans with Disabilities Act (ADA) of 1900. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anders had not an available for added support. 2. This fixture most the requirements of the Americans with Disabilities Act (ADA) of 1900. 3. This fixture most the requirements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while homoring handmade carells—manifold—and are not to be considered as defects. We do our best to maintain a consistent product while homoring handmade carells—massibly. 4. Dimensions may care yeithin half an inch. 5. The LED lightime is 50,000 hours. 6. This fixture is designed to the LED board can be replaced when it reaches its lightime. Notes - Large Plug In 1. Universal canoply mounting is located at the center of the fixture. Additional andowho holes are available fo			
Notes - Medium Hardwire 1. This future weeks the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Hardwire 1. This future can be installed on a well or ceiling 2. Universal canopy mounting is located at the center of the future. Additional anchor holes are available for added support. 3. This future has humbmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring humbmade crafts—marship. 4. Dimensions may vary vestim half as inch. 5. The LED fifting is 50,000 hours. 6. The driver is included within the festure. 7. This future meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 2. This future omes with a 16 foot checolate brown fib-inchibities Act (ADA) of 1990. 1. Universal canopy mounting is located at the center of the fundous holes are available for added support. 2. This future comes with a 16 foot checolate brown fib-in-in-intities our black painted metal finish and is located 8 feet from the plug 3. This future comes with a 16 foot checolate brown fib-in-ic conf. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This future was the machine and are not to be considered as defects. We do our best to maintain a consistent product while honoring humbmade crafts—marship. 4. Dimensions may vary vestim half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the future. 7. This future can be installed on a world or ceiling humbmode crafts—marship. 8. Dimensions may vary vestim half an inch. 9. The LED lifetime is 50,000 hours. 9. The future is designed so the LED bound can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Viniversal canopy mounting is located at the center of the future. Additional anchor holes are available for added support. 9. This future can be installed			
Notes - Medium Hardwire 1. This fexture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. 1. This fexture can be installed on a wall or exiting 2. Universal canopy meanting is located at the center of the fexture. Additional anchor holes are available for added support. 3. This fexture has kandmade elements and may exhibit variability within the same piece. These variations are inderent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade criffs: most page with the fexture. 4. This fexture is declared within the fexture. 5. The LED liftime is 50,000 hours. 6. The driver is included within the fexture. 7. This fexture is declared with the fexture. 8. This fexture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fexture. Additional anthor holes are available for added support. 2. This fexture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fexture. Additional anthor holes are available for added support. 2. This fexture is demanded clements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade criffs mountain the fexture. Notes - Large Hardwire 1. This fexture is designed so the LED bound can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional andnoh holes are available for added support. 2. This fexture is decigned so the LED bound can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional andnoh holes are available for added suppo		v v v	
Notes - Medium Hardwire 1. This fixture can be installed on a wall or esting 2. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are wherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while homoring hondmade crafts—masship. 4. Dimensions may are any within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture metts the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture come with a 16-foot chocalate braum fub-ric cord. The dimmer switch is one black pained metal funsh and is located of first from the plug. 8. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent fundact while honoring handmade englism in the fixture. 9. This fixture is adequated to an avail or caling. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade englism manship. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional and make the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade englism manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000			
2. Universal canapy mounting is located at the center of the fixture. Additioned auchor holes are available for added support. 3. This fixture has hammhande elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring hamdmade crafts. 4. Dimensions may vary vithin half an inch. 5. The LED lifetime is 50,000 hours. 6. The third is the divided within the feature. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture mest be requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canapy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer swich is our black painted metal finish and is located 3 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while homoring handmade crafts—manship. 4. Dimensions may eary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture has the dissipand so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The tires with a 16-foot choc		71 1 mojumu v moto no regunomento y me ilmentante com Distributo (1201) y 1000.	
2. Universal canapy mounting is located at the center of the fixture. Additioned auchor holes are available for added support. 3. This fixture has hammhande elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring hamdmade crafts. 4. Dimensions may vary vithin half an inch. 5. The LED lifetime is 50,000 hours. 6. The third is the divided within the feature. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture mest be requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canapy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer swich is our black painted metal finish and is located 3 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while homoring handmade crafts—manship. 4. Dimensions may eary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture has the dissipand so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The tires with a 16-foot choc	Notes - Medium Hardwire	1. This fixture can be installed on a wall or ceiling	
he production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade erglis-manship. 4. Dimensions may vary within half an inch. 5. The LED lightime is 50,000 hours. 6. The driver is included within the fixture. 8. This fixture is designed so the LED board can be replaced when it reaches its lightime. 8. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fabr ric cond. The dimmer switch is our black painted metal finish and is located 3 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade realls must be fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Hardwire 1. This fixture can be installed on a wall or calling. 2. This fixture can be installed on a wall or calling. 2. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 1. This fixture can be installed on a wall or calling. 2. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fabr ric cord. The dimmer switch is our black painted metal finish and is located. 8 feet from the plug 3. This fixture comes with a 16-foot chocolate brown fabr ric cord. The dimmer switch is our black painted metal finish and is located. 8 feet from the plug 3. This fixture has handmade deements and may exhi		Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support.	
handmade erafts- manship 4. Dimensions may vary vithin half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture meets with a 16-foot choolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture nones with a 16-foot choolate brown fab-ric cord. The dimmer sucitor is outland within the fixture. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 1. This fixture can be installed on a wall or civing. 2. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 1. This fixture can be installed on a wall or civing. 2. This fixture may may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture may may vary within half an inch. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located. 8 feef from the plug. 3. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located. 8		3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in	
4. Dimensions may vary within holf on inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture to designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture can be made and the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chooolade brown fish—ic cond. The dimmer sucidih is our black painted metal finish and is bocated 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade erafts—manship. 4. Dimensions may vary visitin the fixture. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture tan be installed on a wall or ceiling. 8. This fixture than handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 8. Dimensions may vary within half an inch. 9. The fixture can be installed on a wall or ceiling and the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 9. Dimensions may vary within half an inch. 9. The LED lifetime is 50,000 hours. 9. This fixture can be replaced when it reaches its lifetime. 9. This fixture can be within the fixture. 9. This fixture can be within the fixture. 9. This fixture comes with a 16-foot chocolate brown fab—ric cord. The dimmer switch is our black pointed metal finish and is located 8 feet from the plug. 9. This fixture comes with a 16-foot chocolate brown fab—ric cord. The dimmer switch is our black pointed metal finish and is located 8 feet from the plug. 9. This fixture and another th		the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring	
5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Domensions may vary viellin holf an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture can be installed on a well or celling. 2. This fixture can be installed on a well or celling. 3. Dimensions may vary viellin half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 fee from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.		handmade crafts- manship.	
5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Domensions may vary viellin holf an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture can be installed on a well or celling. 2. This fixture can be installed on a well or celling. 3. Dimensions may vary viellin half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 fee from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.		4. Dimensions may vary within half an inch.	
6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture as he installed on a wall or ceiling. 2. This fixture as he installed on a wall or ceiling. 2. This fixture as he installed on a wall or ceiling. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as			
7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 8. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990. Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The draw is included well within the fixture. 7. This fixture can be installed on a wall or ceiling. Notes - Large Hardwire 1. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The draw is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture conse with a 16-foot chocolate brown fab - ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade e			
Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional auchor holes are available for added support. 2. This fixture enses with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Hardwire 1. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture has handmade lements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be			
Notes - Medium Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture as the installed on a wall or ceiling. 2. This fixture and be installed on a wall or ceiling. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts-manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade criffs: manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Hardwire 1. This fixture can be installed on a wall or ceiling 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture wis designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture was handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours.	Notes - Medium Plug In		
located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Hardwire 1. This fixture can be installed on a wall or ceiling 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chococlate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 3 feet from the plug 3. This fixture comes with a 16-foot chococlate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 3 feet from the plug 4. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Hardwire 1. This fixture as handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts—manship. 4. Dimensions may vary vithin half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts: manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture can be installed on a wall or ceiling. 2. This fixture can be installed on a wall or ceiling. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimner switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimner switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimner switch is our black painted metal finish and is located 8 feet from the plug 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Hardwire 1. This fixture can be installed on a wall or ceiling 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Hardwire 1. This fixture can be installed on a wall or ceiling. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture. 7. This fixture can be installed on a wall or ceiling. 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- mansing. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
Notes - Large Hardwire 1. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 1. This fixture can be installed on a wall or ceiling 2. This fixture can be installed on a wall or ceiling 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located & feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The triver is included within the fixture.		· · · · · · · · · · · · · · · · · · ·	
Notes - Large Hardwire 7. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 1. This fixture can be installed on a wall or ceiling 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.		· ·	
Notes - Large Hardwire 1. This fixture can be installed on a wall or ceiling 2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab-ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.	Notes - Large Hardwire		
the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug. 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
handmade crafts- manship. 3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
3. Dimensions may vary within half an inch. 4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.		1 1	
4. The LED lifetime is 50,000 hours. 5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
5. The driver is included within the fixture. 6. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
Notes - Large Plug In 1. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 2. This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.		9	
 This fixture comes with a 16-foot chocolate brown fab- ric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. Dimensions may vary within half an inch. The LED lifetime is 50,000 hours. The driver is included within the fixture. 			
located 8 feet from the plug 3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.	Notes - Large Plug In		
3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.		located 8 feet from the plug	
handmade crafts- manship. 4. Dimensions may vary within half an inch. 5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.		3. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in	
4. Dimensions may vary within half an inch.5. The LED lifetime is 50,000 hours.6. The driver is included within the fixture.		the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring	
5. The LED lifetime is 50,000 hours. 6. The driver is included within the fixture.			
6. The driver is included within the fixture.		4. Dimensions may vary within half an inch.	
		5. The LED lifetime is 50,000 hours.	
7. This fixture is designed so the LED board can be replaced when it reaches its lifetime.		6. The driver is included within the fixture.	
		7. This fixture is designed so the LED board can be replaced when it reaches its lifetime.	