



Ecco Surface Mount Medium shown in Marigold Glass & Darkened Leopardwood.

ECCO SURFACE MOUNT

| | |
|--------------------------|--|
| Standard Dimensions | Medium: 6 in. W × 29 in. H × 2 5/8 in. D Large: 10 in. W × 54 in. H × 3 3/4 in. D |
| Weight | Medium: 7.5 lb Large: 21 lb |
| Materials | Glass, Wood, Steel. |
| Details | Bulbs Included : <i>Medium: Integrated LED: 3,038 lm / 2700 K / 45 W / 92+ CRI</i> <i>Large: Integrated LED: 16,335 lm / 2700 K / 182 W / 92+ CRI</i> Max Wattage: Medium: 35 W Large: 185 W Dimmer: <i>TRIAC, ELV or 0-10 V</i> Certifications : <i>UL Listed, ETL Listed, Damp Rated</i> |
| Available Glass Finish | <p>Almond Cherry Olive Pecan Cirrus Moss Plum Umber</p> <p>Garnet Marigold Vellum Zinnia</p> |
| Available Steel Finishes | <p>Oak Leopardwood Darkened Leopardwood</p> |




List Price *

Upon Request

** List pricing is subject to change and does not include shipping.*

stahlandband.com
info@stahlandband.com
424.228.4134

Specification Drawing - Medium







Notes

1. This fixture can be installed on a wall or ceiling. 2. This fixture can be installed vertically or horizontally. 3. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 4. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 5. Dimensions may vary within half an inch. 6. The LED lifetime is 50,000 hours. 7. The driver is included within the fixture. 8. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 9. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.



Specification Drawing - Large



Notes

1. This fixture can be installed on a wall or ceiling 2. This fixture can be installed vertically or horizontally. 3. Universal canopy mounting is located at the center of the fixture. Additional anchor holes are available for added support. 4. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship. 5. Dimensions may vary within half an inch. 6. The LED lifetime is 50,000 hours. 7. The driver is included with the fixture is installed remotely. 8. This fixture is designed so the LED board can be replaced when it reaches its lifetime. 9. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.