


STAHL+BAND

stahlandband.com
info@stahlandband.com
424.228.4134



Onda Sconce Small shown in Zinnia Glass & Pewter.

ONDA SCONCE

Standard Dimensions	Small: 5 3⁄8 in. W × 6 3⁄8 in. H × 3 3⁄4 in. D Medium: 11 in. W × 7 1⁄4 in. H × 5 in. D
Weight	Small: 3.5 lb Medium: 7 lb
Materials	Glass, Steel.
Details	Bulbs Included : Small: Integrated LED: 1,200 lm / 1800 K - 3000 K / 12 W / 98 CRI Medium: Integrated LED: 2,400 lm / 1800 K - 3000 K / 24 W / 98 CRI Max Wattage: Small: 15 W Medium: 25 W Dimmer: TRIAC, ELV or 0–10 V (Hardwire) Certifications : UL Listed, ETL Listed, Damp Rated, ADA Compliant
Available Glass Finish	<div><div>Almond</div><div>Cherry</div><div>Olive</div><div>Pecan</div><div>Cirrus</div><div>Moss</div><div>Plum</div><div>Umber</div><div>Garnet</div><div>Marigold</div><div>Vellum</div><div>Zinnia</div></div>
Available Steel Finishes	<div><div>Brass</div><div>Blackened Brass</div><div>Patinated Brass</div><div>Pewter</div></div>
List Price *	Starting at: \$1,500 <div>* List pricing is subject to change and does not include shipping.</div>





STAHL+BAND

stahlandband.com

info@stahlandband.com

424.228.4134

Specification Drawing - Hardwire- Small



Notes Hardwire

1. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship.
2. Dimensions may vary within half an inch.
3. The LED lifetime is 50,000 hours.
4. The driver is included within the fixture.
5. This fixture is designed so the LED board can be replaced when it reaches its lifetime.
6. This fixture meets the requirements of the Americans with Disabilities Act (ADA) of 1990.





STAHL+BAND

stahlandband.com

info@stahlandband.com

424.228.4134

Specification Drawing - Plug In - Small



Notes Plug In

1. This fixture comes with a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
3. Dimensions may vary within half an inch.
4. The LED lifetime is 50,000 hours.
5. The driver is included within the fixture.
6. This fixture is designed so the LED board can be replaced when it reaches its lifetime.


STAHL+BAND

stahlandband.com

info@stahlandband.com

424.228.4134

Specification Drawing - Hardwire - Medium



Notes Plug In

1. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade crafts- manship.
2. Dimensions may vary within half an inch.
3. The LED lifetime is 50,000 hours.
4. The driver is included within the fixture.
5. This fixture is designed so the LED board can be replaced when it reaches its lifetime.


STAHL+BAND

stahlandband.com

info@stahlandband.com

424.228.4134

Specification Drawing - Plug In - Medium



Notes Plug In

1. This fixture comes with a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
2. This fixture has handmade elements and may exhibit variability within the same piece. These variations are inherent in the production process and are not to be considered as defects. We do our best to maintain a consistent product while honoring handmade craftsmanship.
3. Dimensions may vary within half an inch.
4. The LED lifetime is 50,000 hours.
5. The driver is included within the fixture.
6. This fixture is designed so the LED board can be replaced when it reaches its lifetime.